
#### January, 2024

#### **TO:** Mansfield<sup>®</sup> Plumbing Products Sales Team & Distribution Partners

#### **RE:** Product Discontinuations

As part of our ongoing efforts to improve our supply chain and optimize production to better serve our valuable customers, we are making changes in the Mansfield Urinals lineup.

The Cascade, 410UHE Urinal, is being replaced by the Cascade II, 414 Urinal, there are some subtle differences in the exterior appearance and the measurements.



To ensure an easy transition in order processing and clear delineation of inventories, we have issued new model numbers.

PRODUCT LINE	FAMILY	PART NUMBER	MODEL	PART DESCRIPTION	COLOR
CASCADE II	URINAL	414010000	414	URINAL 414UHE CASCADE WHT	WHITE

Effective immediately, all new purchase orders should be submitted using the new model numbers referenced below. The customer service team will reach out on a case-by-case basis for any existing orders that need to be adjusted. The pricing of the new models will be the same as the old models.

Please note that there will be no further production of the 410 Urianal Cascade models and we cannot accept returns, so please communicate this change immediately with customers to ensure proper transition of their inventories. If you have ongoing projects or special circumstances to discuss, please reach out your Regional Sales Manager as soon as possible.

Sincerely,

Juan Carlos Suarez Marketing Director



Mansfield Plumbing Products, LLC | www.mansfieldplumbing.com

## CASCADE II - 414



### HALF-STALL, WASH-DOWN, VITREOUS CHINA URINAL

- Top spud, half-stall, wall-mount, wash-down urinal with extended sides
- Complies with ADA requirements for accessibility
- 0.125, 0.5 or 1.0 gpf (when using the proper flush valve)
- Integral trap
- The Mansfield<sup>®</sup> limited lifetime warranty
- Available in White
- Substitution for 410 Cascade

### 

URINAL

## **SPECS & MEASUREMENTS**



- Product Dimensions
- (HxWxD): 26 3/4" x 18 7/8" x 14-1/2
- Specs
- Wall-Mount
- Minimum 0.125 gpf / 0.5 lpf ultra high-efficiency water consumption, depending on flushometer
- Integrated trap
- 2" Outlet
- Includes 3/4' top spud, 2' outlet spud and gaskets, two concealed hangers and bolts

#### 


URINAL





### **TECHNICAL INFORMATION**



#### \*Mounting brackets measure 2-7/8" (73MM) in length.







NOTE on Outlet Connection: 2" female threads protrude 1/2" past the urinal.

For ADA Installation, adjust the numbered dimensions as follows:					
1	44" (1118 MM)				
2	28-5/8" (727 MM)				
3	15-1/4" (387 MM)				
4	10-9/16" (268 MM)				

#### 

# **PARTS & ACCESSORIES**

### PARTS & ACCESSORIES

471-3265	Urinal hanger (requires set of two)	
531-0016	Rear outlet urinal spud kit	
24	Urinal top spud – 1" x 3/4" cast brass top urinal spud	





URINAL










## CASCADE II 414 – VS CASCADE 410



# PACKAGING & PALLETS



PALLETS					
PIECES	9				
ROWS	3				
<b>PIECES X ROW</b>	3				



